



- Notes:
1. Connections to ceiling including shackles, cable or chain, anchors, etc. are furnished by and the responsibility of the others.
  2. Corner trim removed for clarity.
  3. Weights shown do not include bottom for four face.
  4. Weights shown do not include connections to ceiling (shackles, chain or wire rope, power winch, etc.)



Estimated Weights and Pick Points for Scoreboards				
Model Number	Size of Scoreboard	Dimension "A"	Dimension "B"	Estimated Weight
2700, 4755	3 x 8	97 5/16"	97 5/16"	722
2710	5 x 8	97 5/16"	97 5/16"	930
2750, 2770, 4710, 4750, 4711	6 x 8	97 5/16"	97 5/16"	1054
8203, 8204	6 x 8	97 5/16"	97 5/16"	1850
8204, 8404	7 x 8	97 5/16"	97 5/16"	2350
2702	3 x 10	121 1/8"	121 1/8"	845
2712	5 x 10	121 1/8"	121 1/8"	1073
2752, 2772	6 x 10	121 1/8"	121 1/8"	1167
4770	5 x 12	145 1/8"	145 1/8"	1308

**Important Note:**

This is not an engineered drawing. It is intended for representation purposes only. Nevco strongly suggests that you contact a professional engineer or architect familiar with the facility before the installation is attempted. They can determine if the building framework is capable of withstanding the additional forces that result from hanging a structure such as this. In addition, they will be able to verify that the bolts, framework, etc. are suitable for your particular installation. This includes, but is not limited to speakers, lights, camera systems, etc.

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No.

Dwg-0748

Drawn

BRS

Date

6/23/2015

Sheet

1 of

15

6

5

4

3

2

1

8' Four Face

Size of Scoreboard	Lower Cabinet Size	Dim "C"	Upper Cabinet Size	Dim "D"	Dim "E"	Dim "F"	Lower Frame/Trim Weight	Upper Frame/Trim Weight
3' x 8'	n/a	n/a	1'	9½"	40"	131¼"	n/a	90
3' x 8'	n/a	n/a	2'	21½"	40"	131¼"	n/a	364
3' x 8'	n/a	n/a	3'	33½"	40"	131¼"	n/a	380
3' x 8'	1'	12 7/8"	n/a	n/a	40"	131¼"	346	n/a
3' x 8'	1'	12 7/8"	1'	9½"	40"	131¼"	346	90
3' x 8'	1'	12 7/8"	2'	21½"	40"	131¼"	346	364
3' x 8'	1'	12 7/8"	3'	33½"	40"	131¼"	346	380
3' x 8'	2'	24 7/8"	n/a	n/a	40"	131¼"	350	n/a
3' x 8'	2'	24 7/8"	1'	9½"	40"	131¼"	350	90
3' x 8'	2'	24 7/8"	2'	21½"	40"	131¼"	350	364
3' x 8'	2'	24 7/8"	3'	33½"	40"	131¼"	350	380
3' x 8'	3'	36 7/8"	n/a	n/a	40"	131¼"	354	n/a
3' x 8'	3'	36 7/8"	1'	9½"	40"	131¼"	354	90
3' x 8'	3'	36 7/8"	2'	21½"	40"	131¼"	354	364
3' x 8'	3'	36 7/8"	3'	33½"	40"	131¼"	354	380
5' x 8'	n/a	n/a	1'	8¼"	64"	140"	n/a	95
5' x 8'	n/a	n/a	2'	20¼"	64"	140"	n/a	374
5' x 8'	n/a	n/a	3'	32¼"	64"	140"	n/a	390
5' x 8'	1'	12 7/8"	n/a	n/a	64"	140"	346	n/a
5' x 8'	1'	12 7/8"	1'	8¼"	64"	140"	346	95
5' x 8'	1'	12 7/8"	2'	20¼"	64"	140"	346	374
5' x 8'	1'	12 7/8"	3'	32¼"	64"	140"	346	390
5' x 8'	2'	24 7/8"	n/a	n/a	64"	140"	350	n/a
5' x 8'	2'	24 7/8"	1'	8¼"	64"	140"	350	95
5' x 8'	2'	24 7/8"	2'	20¼"	64"	140"	350	374
5' x 8'	2'	24 7/8"	3'	32¼"	64"	140"	350	390
5' x 8'	3'	36 7/8"	n/a	n/a	64"	140"	354	n/a
5' x 8'	3'	36 7/8"	1'	8¼"	64"	140"	354	95
5' x 8'	3'	36 7/8"	2'	20¼"	64"	140"	354	374
5' x 8'	3'	36 7/8"	3'	32¼"	64"	140"	354	390
6' x 8'	n/a	n/a	1'	10¼"	73¼"	145 1/8"	n/a	100
6' x 8'	n/a	n/a	2'	22¼"	73¼"	145 1/8"	n/a	380
6' x 8'	n/a	n/a	3'	34¼"	73¼"	145 1/8"	n/a	396
6' x 8'	1'	12 7/8"	n/a	n/a	73¼"	145 1/8"	346	n/a
6' x 8'	1'	12 7/8"	1'	10¼"	73¼"	145 1/8"	346	100
6' x 8'	1'	12 7/8"	2'	22¼"	73¼"	145 1/8"	346	380
6' x 8'	1'	12 7/8"	3'	34¼"	73¼"	145 1/8"	346	396
6' x 8'	2'	24 7/8"	n/a	n/a	73¼"	145 1/8"	350	n/a
6' x 8'	2'	24 7/8"	1'	10¼"	73¼"	145 1/8"	350	100
6' x 8'	2'	24 7/8"	2'	22¼"	73¼"	145 1/8"	350	380
6' x 8'	2'	24 7/8"	3'	34¼"	73¼"	145 1/8"	350	396
6' x 8'	3'	36 7/8"	n/a	n/a	73¼"	145 1/8"	354	n/a
6' x 8'	3'	36 7/8"	1'	10¼"	73¼"	145 1/8"	354	100
6' x 8'	3'	36 7/8"	2'	22¼"	73¼"	145 1/8"	354	380
6' x 8'	3'	36 7/8"	3'	34¼"	73¼"	145 1/8"	354	396

Rev

Dim "F"

Dim "D"

Dim "E"

Dim "C"

119 in

Notes:

1. Dimension "C" does not include rubber feet (adds approximately 2¼")

2. Dimensions shown may vary slightly due to assembly variation.

3. Corner trim removed for clarity.

4. **Add weights for signs or message centers to above frame/trim weight for total weights.**

5. Weight of center section found on sheet 1

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards

NEVCO

Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No. Dwg-0748

Drawn BRS

Date 6/23/2015

Sheet 2 of 15

1

6

5

4

3

2

1

Rev

10' Four Face								
Size of Scoreboard	Lower Cabinet Size	Dim "C"	Upper Cabinet Size	Dim "D"	Dim "E"	Dim "F"	Lower Frame/Trim Weight	Upper Frame/Trim Weight
3' x 10'	n/a	n/a	1'	10½"	40"	155¼"	n/a	90
3' x 10'	n/a	n/a	2'	22½"	40"	155¼"	n/a	367
3' x 10'	n/a	n/a	3'	34½"	40"	155¼"	n/a	395
3' x 10'	1'	12¾"	n/a	n/a	40"	155¼"	396	n/a
3' x 10'	1'	12¾"	1'	10½"	40"	155¼"	396	90
3' x 10'	1'	12¾"	2'	22½"	40"	155¼"	396	367
3' x 10'	1'	12¾"	3'	34½"	40"	155¼"	396	395
3' x 10'	2'	24¾"	n/a	n/a	40"	155¼"	400	n/a
3' x 10'	2'	24¾"	1'	10½"	40"	155¼"	400	90
3' x 10'	2'	24¾"	2'	22½"	40"	155¼"	400	367
3' x 10'	2'	24¾"	3'	34½"	40"	155¼"	400	395
3' x 10'	3'	36¾"	n/a	n/a	40"	155¼"	405	n/a
3' x 10'	3'	36¾"	1'	10½"	40"	155¼"	405	90
3' x 10'	3'	36¾"	2'	22½"	40"	155¼"	405	367
3' x 10'	3'	36¾"	3'	34½"	40"	155¼"	405	395
5' x 10'	n/a	n/a	1'	10½"	64"	164¼"	n/a	95
5' x 10'	n/a	n/a	2'	22½"	64"	164¼"	n/a	366
5' x 10'	n/a	n/a	3'	34½"	64"	164¼"	n/a	394
5' x 10'	1'	12¾"	n/a	n/a	64"	164¼"	396	n/a
5' x 10'	1'	12¾"	1'	10½"	64"	164¼"	396	95
5' x 10'	1'	12¾"	2'	22½"	64"	164¼"	396	366
5' x 10'	1'	12¾"	3'	34½"	64"	164¼"	396	394
5' x 10'	2'	24¾"	n/a	n/a	64"	164¼"	400	n/a
5' x 10'	2'	24¾"	1'	10½"	64"	164¼"	400	95
5' x 10'	2'	24¾"	2'	22½"	64"	164¼"	400	366
5' x 10'	2'	24¾"	3'	34½"	64"	164¼"	400	394
5' x 10'	3'	36¾"	n/a	n/a	64"	164¼"	405	n/a
5' x 10'	3'	36¾"	1'	10½"	64"	164¼"	405	95
5' x 10'	3'	36¾"	2'	22½"	64"	164¼"	405	366
5' x 10'	3'	36¾"	3'	34½"	64"	164¼"	405	394
6' x 10'	n/a	n/a	1'	10½"	73"	169"	n/a	100
6' x 10'	n/a	n/a	2'	22½"	73"	169"	n/a	372
6' x 10'	n/a	n/a	3'	34½"	73"	169"	n/a	400
6' x 10'	1'	12¾"	n/a	n/a	73"	169"	396	n/a
6' x 10'	1'	12¾"	1'	10½"	73"	169"	396	100
6' x 10'	1'	12¾"	2'	22½"	73"	169"	396	372
6' x 10'	1'	12¾"	3'	34½"	73"	169"	396	400
6' x 10'	2'	24¾"	n/a	n/a	73"	169"	400	n/a
6' x 10'	2'	24¾"	1'	10½"	73"	169"	400	100
6' x 10'	2'	24¾"	2'	22½"	73"	169"	400	372
6' x 10'	2'	24¾"	3'	34½"	73"	169"	400	400
6' x 10'	3'	36¾"	n/a	n/a	73"	169"	405	n/a
6' x 10'	3'	36¾"	1'	10½"	73"	169"	405	100
6' x 10'	3'	36¾"	2'	22½"	73"	169"	405	372
6' x 10'	3'	36¾"	3'	34½"	73"	169"	405	400

Diagram of scoreboard assembly with dimensions: Dim "F", Dim "D", Dim "E", Dim "C", and 142¼ in.

Notes:

1. Dimension "C" does not include rubber feet (adds approximately 2¼")

2. Dimensions shown may vary slightly due to assembly variation.

3. Corner trim removed for clarity.

4. **Add weights for signs or message centers to above frame/trim weight for total weights.**

5. Weight of center section found on sheet 1

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards

NEVCO

Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawn **BRS** Date **6/23/2015**

Drawing No. **Dwg-0748**

Sheet **3** of **15**

6

5


4

3

2

1

12' Four Face								
Size of Scoreboard	Lower Cabinet Size	Dim "C"	Upper Cabinet Size	Dim "D"	Dim "E"	Dim "F"	Lower Frame/Trim Weight	Upper Frame/Trim Weight
5' x 12'	n/a	n/a	1'	9¾"	63 5/8"	189"	n/a	95
5' x 12'	n/a	n/a	2'	21¾"	63 5/8"	189"	n/a	399
5' x 12'	n/a	n/a	3'	33¾"	63 5/8"	189"	n/a	408
5' x 12'	1'	12½"	n/a	n/a	63 5/8"	189"	418	n/a
5' x 12'	1'	12½"	1'	9¾"	63 5/8"	189"	418	95
5' x 12'	1'	12½"	2'	21¾"	63 5/8"	189"	418	399
5' x 12'	1'	12½"	3'	33¾"	63 5/8"	189"	418	408
5' x 12'	2'	24½"	n/a	n/a	63 5/8"	189"	422	n/a
5' x 12'	2'	24½"	1'	9¾"	63 5/8"	189"	422	95
5' x 12'	2'	24½"	2'	21¾"	63 5/8"	189"	422	399
5' x 12'	2'	24½"	3'	33¾"	63 5/8"	189"	422	408
5' x 12'	3'	36½"	n/a	n/a	63 5/8"	189"	426	n/a
5' x 12'	3'	36½"	1'	9¾"	63 5/8"	189"	426	95
5' x 12'	3'	36½"	2'	21¾"	63 5/8"	189"	426	399
5' x 12'	3'	36½"	3'	33¾"	63 5/8"	189"	426	408



- Notes:
- 1. Dimension "C" does not include rubber feet (adds approximately 2¼")
  - 2. Dimensions shown may vary slightly due to assembly variation.
  - 3. Corner trim removed for clarity.
  - 4. **Add weights for signs or message centers to above frame/trim weight for total weights.**
  - 5. Weight of center section found on sheet 1

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards

**Nevco, Inc.**  
**Greenville, Illinois 62246**

Last ECO


Drawn **BRS**    Date **6/23/2015**

Drawing No. **Dwg-0748**

Sheet **4** of **15**

8' wide by 7' tall Hybrid Four Face								
Size of Scoreboard	Lower Cabinet Size	Dim "C"	Upper Cabinet Size	Dim "D"	Dim "E"	Dim "F"	Lower Frame/Trim Weight	Upper Frame/Trim Weight
7' x 8'	n/a	n/a	1'	10"	86 7/8"	150 7/8"	n/a	180
7' x 8'	n/a	n/a	2'	22"	86 7/8"	150 7/8"	n/a	400
7' x 8'	n/a	n/a	3'	34"	86 7/8"	150 7/8"	n/a	416
7' x 8'	1'	12 5/8"	n/a	n/a	86 7/8"	150 7/8"	346	n/a
7' x 8'	1'	12 5/8"	1'	10"	86 7/8"	150 7/8"	346	180
7' x 8'	1'	12 5/8"	2'	22"	86 7/8"	150 7/8"	346	400
7' x 8'	1'	12 5/8"	3'	34"	86 7/8"	150 7/8"	346	416
7' x 8'	2'	24 5/8"	n/a	n/a	86 7/8"	150 7/8"	350	n/a
7' x 8'	2'	24 5/8"	1'	10"	86 7/8"	150 7/8"	350	180
7' x 8'	2'	24 5/8"	2'	22"	86 7/8"	150 7/8"	350	400
7' x 8'	2'	24 5/8"	3'	34"	86 7/8"	150 7/8"	350	416
7' x 8'	3'	36 5/8"	n/a	n/a	86 7/8"	150 7/8"	354	n/a
7' x 8'	3'	36 5/8"	1'	10"	86 7/8"	150 7/8"	354	180
7' x 8'	3'	36 5/8"	2'	22"	86 7/8"	150 7/8"	354	400
7' x 8'	3'	36 5/8"	3'	34"	86 7/8"	150 7/8"	354	416

8' wide by 6' tall Hybrid Four Face								
Size of Scoreboard	Lower Cabinet Size	Dim "C"	Upper Cabinet Size	Dim "D"	Dim "E"	Dim "F"	Lower Frame/Trim Weight	Upper Frame/Trim Weight
6' x 8'	n/a	n/a	1'	10"	74 7/8"	145¾"	n/a	160
6' x 8'	n/a	n/a	2'	22"	74 7/8"	145¾"	n/a	380
6' x 8'	n/a	n/a	3'	34"	74 7/8"	145¾"	n/a	396
6' x 8'	1'	12 5/8"	n/a	n/a	74 7/8"	145¾"	346	n/a
6' x 8'	1'	12 5/8"	1'	10"	74 7/8"	145¾"	346	160
6' x 8'	1'	12 5/8"	2'	22"	74 7/8"	145¾"	346	380
6' x 8'	1'	12 5/8"	3'	34"	74 7/8"	145¾"	346	396
6' x 8'	2'	24 5/8"	n/a	n/a	74 7/8"	145¾"	350	n/a
6' x 8'	2'	24 5/8"	1'	10"	74 7/8"	145¾"	350	160
6' x 8'	2'	24 5/8"	2'	22"	74 7/8"	145¾"	350	380
6' x 8'	2'	24 5/8"	3'	34"	74 7/8"	145¾"	350	396
6' x 8'	3'	36 5/8"	n/a	n/a	74 7/8"	145¾"	354	n/a
6' x 8'	3'	36 5/8"	1'	10"	74 7/8"	145¾"	354	160
6' x 8'	3'	36 5/8"	2'	22"	74 7/8"	145¾"	354	380
6' x 8'	3'	36 5/8"	3'	34"	74 7/8"	145¾"	354	396



- Notes:
- 1. Dimension "C" does not include rubber feet (adds approximately 2¼")
  - 2. Dimensions shown may vary slightly due to assembly variation.
  - 3. Corner trim removed for clarity.
  - 4. **Add weights for signs or message centers to above frame/trim weight for total weights.**
  - 5. Weight of center section found on sheet 1

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards

**Nevco, Inc.**  
Greenville, Illinois 62246

Last ECO

Drawn **BRS**

Drawing No. **Dwg-0748**

Date **6/23/2015**

Sheet **5** of **15**



Lower cabinet installation section

Frame Assembly Instructions

D  
C  
B  
A




Figure 1

Bottom section attaches to center section of four face using 1/2" bolts, washers and nuts using these holes





Figure 2

Installation Instructions.

1. Find corner posts, rubber feet, and corner mounting clips.
2. Install rubber feet with bolt in bottom of all four corners.
3. Install corner mounting clips as shown. Use 1/2" by 4" bolts with washers and nuts supplied by Nevco.
4. Install laterals to corner clips using 3/8 bolts with washers and nuts supplied by Nevco.
5. Check the frame to make sure that it is square and level.
6. Install message centers or signs to laterals. Bolt through rail into bolt locations on back of cabinet.
7. Before lifting, make sure all bolts are installed properly.

Four Face Installation Upper and Lower Sections Standard Scoreboards		 Nevco, Inc. Greenville, Illinois 62246	
Last ECO		Drawing No. Dwg-0748	
Drawn BRS	Date 6/23/2015	Sheet 6 of 15	

Rev



D  
C  
B  
A

# Lower cabinet installation section

Mounting Signs  
with Flanges

Install sign to lateral  
using 3/8" bolts, nuts,  
and washers supplied  
by Nevco

Use instructions on sheet 5  
to build frame before attaching  
signs



Front of sign

Attach sign to lateral using  
these holes (it will be necessary  
to drill through the bottom  
flanges of the sign for bolt)

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



241-0285  
Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No.

Dwg-0748

Drawn

BRS

Date

6/23/2015

Sheet

7 of

15

1

## Lower cabinet installation section

Use instructions on sheet 5  
to build frame before attaching  
signs

If message center or  
sign is mounted below  
a hybrid center section  
use these spacers  
provided by Nevco (four  
per side)

Attach message center  
to laterals using bolts  
provided by Nevco (top  
and bottom of message  
center)

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No.

Dwg-0748

Drawn

BRS

Date


6/23/2015

Sheet 8 of

15 1



Upper cabinet installation section  
This Section covers 2' and 3' tall upper cabinets




Upper section does not interfere with the cables, etc. used to suspend the completed assembly.

Center section corner braces are removed for clarity. When installing upper section, make sure those braces are bolted to the bottom side of the top center section lateral so they do not interfere with upper section parts.

Sequenced instructions follow. Be sure to follow good safety practices and make sure all bolts are tight before lifting.

- Notes:
- 1. All bolts, nuts, and washers required to assemble framework and mount signs or message centers are supplied by Nevco
  - 2. The upper section framework is installed on the center section frame after it is completely assembled.

Four Face Installation Upper and Lower Sections Standard Scoreboards		 <b>Nevco, Inc.</b> Greenville, Illinois 62246	
Last ECO		Drawing No. <b>Dwg-0748</b>	
Drawn <b>BRS</b>	Date <b>6/23/2015</b>	Sheet <b>9</b> of <b>15</b>	

# Upper cabinet installation section

This Section covers 2' and 3' tall upper cabinets

**Step One.** Assemble frame (two horizontal pieces and two vertical pieces) using 3/8 bolts, nuts and washers.

Corner braces attach to frame at these holes


Offset bracket

**Step Two.** Attach offset brackets to top lateral of center section using 3/8 bolts, nuts and washers.

Back edge of bracket will be close to back edge of lateral when installed

**Step Three.** Attach completed frame to offset brackets using 3/8 bolts, nuts and washers


Make sure bolts and nuts are tight before attaching signs or message centers

Four Face Installation Upper and Lower Sections Standard Scoreboards		 <p><b>NEVCO</b></p> <p>Nevco, Inc. Greenville, Illinois 62246</p>
Last ECO		Drawing No. <b>Dwg-0748</b>
Drawn <b>BRS</b>	Date <b>6/23/2015</b>	Sheet <b>10</b> of <b>15</b>

# Upper cabinet installation section

This Section covers 2' and 3' tall upper cabinets


Make sure corner braces are installed and frame is stable before attaching message centers or signs



16mm Message Center bolts here

20mm Message Center bolts here

Flanged sign bolts here (use 3/8 bolts, nuts and washers



16mm Message Center bolts here

20mm Message Center bolts here

Flanged sign bolts here (use 3/8 bolts, nuts and washers - some drilling of flange may be required)

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No. Dwg-0748

Drawn

BRS

Date


6/23/2015

Sheet 11 of 15

# Upper cabinet installation section

This Section covers 2' and 3' tall upper cabinets

Step Six. Attach trim pieces



Attach large section to face of message center with approx one inch overlap

Attach small section to face of other message center behind the large section.

After sections are aligned with each other and attached to faces of message center, use drill screws to attach pieces together

Install lateral trim pieces first using drill screws

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No. Dwg-0748


Drawn BRS

Date 6/23/2015

Sheet 12 of 15




Upper cabinet installation section  
This Section covers 1' tall upper cabinets



Cabinet brace  
(8 per four face)

Mounting bracket  
(16 per four face)




Detail A

Spacers bolt to top lateral of center section using bolts, washers, and nuts provided by Nevco

Upper sections are installed after center section is complete.

Sequenced instructions follow. Be sure to follow good safety practices and make sure all bolts are tight before lifting.


Four Face Installation Upper and Lower Sections Standard Scoreboards		 Nevco, Inc. Greenville, Illinois 62246	
Last ECO		Drawing No. Dwg-0748	
Drawn BRS	Date 6/23/2015	Sheet 13 of 15	



# Upper cabinet installation section

This Section covers 1' tall upper cabinets


**Step One.** Install brackets to back of sign/message center



Attach mounting brackets to back of message center using bolts provided by Nevco

Mount bracket to top of spacer using 3/8 bolt, washer and nut provided by Nevco

Signs will mount using these holes (bottom of sign flange will be drilled onsite)



**Detail B**

**Step Two.** Attach spacer to bracket using 3/8 bolt, washer and nut supplied by Nevco

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No.

Dwg-0748

Drawn BRS

Date

6/23/2015


Sheet 14 of

15

# Upper cabinet installation section

This Section covers 1' tall upper cabinets

Step Three. Install cabinet on top of center section frame




Attach to top lateral using 3/8" bolt, washers and nuts supplied by Nevco

1 13/16 in  
Target dimension

Install supports using 3/8" bolts, washers, and nuts supplied by Nevco. Extra washers may be required for proper fit.

See sheet 11 for trim mounting instructions

Face of cabinet should be plumb and flush with upper edge of scoreboard



Drill through horizontal support and attach with 3/8 bolt, washers and nut supplied by Nevco

Four Face Installation  
Upper and Lower  
Sections  
Standard Scoreboards



Nevco, Inc.  
Greenville, Illinois 62246

Last ECO

Drawing No. Dwg-0748

Drawn BRS

Date 6/23/2015

Sheet 15 of 15